





JOINTING: Circular tower to be stack bonded ashlar with 8mm lime mortar beds & joints recessed to a depth of 10mm.

SHIMMING TO FIXINGS: maximum shim dimension 15mm, maximum number of shimming plates 4.

Rev.	Date.	Comments.
F	13/03/03	Stair 02 fire rated escape lobby details added.
E	01/05/02	General update. Issued for Construction.
D	19/02/02	General update.
C	07/11/01	Updated to Architects comments, stone numbers & fixings added. Movement joint added below datum 22.340 Issued for manufacture of stonework only.
B	07/09/01	Updated to Architects comments, proposed movement joints added.
A	12/06/01	Movement joints omitted.

Key Plan



= TO BE CONFIRMED

stewart design (uk) limited
3 clarendon court, park street, charlbury, chipping norton, oxon, uk, OX7 3PT
tel: +44 (0) 1608 811500 fax: +44 (0) 1608 811700
e-mail : design@stewartdesign.co.uk website : www.stewartdesign.co.uk

Contract Title: The Bath Spa Project

Drawing Title: Circular Stair Tower West Side Unwrapped Elevation Lower Ground to 1st Floor

Scale: 1:20 @ A0

Date: April 2001

Drawn: T. Abbott

Architects: Nicholas Grimshaw & Partners Ltd Tel: 020 7291 4141 Fax: 020 7291 4157

Client: The Bath Stone Group Tel: 01225 782782 Fax: 01225 782180

Drawing No: GA05 Rev. F